



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
290 BROADWAY
NEW YORK, NY 10007-1868

EH 8
DEC 23 2010

DEC 21 2010

Ms. Mary Lou Capichioni
Director
Remediation Services
Corporate Environmental Services
The Sherwin-Williams Company
101 Prospect Avenue, N.W.
Cleveland, OH 44115-1075

Re: Sherwin-Williams/Hilliards Creek Site - Kirkwood Lake
Voorhees Township and Lindenwold Borough, New Jersey
Administrative Order Index No. II CERCLA-02-99-2035
Approval of Supplemental RI Work Plan

Dear Ms. Capichioni:

The United States Environmental Protection Agency (EPA) has reviewed the December 1, 2010 Sherwin-Williams Response Letter, which addressed EPA's and the New Jersey Department of Environmental Protection (NJDEP) previous comments on the Sherwin-Williams' "Kirkwood Lake Investigation Report", dated April 30, 2009 and the "Supplemental Remedial Investigation Work Plan - Kirkwood Lake Sediment and Soil Sampling and Residential Property Soil Sampling", dated June 11, 2010. EPA offers the following:

1. EPA approves the soil and sediment sampling program (presented in the June 11, 2010 Supplemental Work Plan) within Kirkwood Lake, however, on page 17 of the Supplemental Work Plan, Table 3 (from EPA's March 11, 2010 Comment Letter) is cited, but not included. A copy of this table is included in this approval letter for reference (enclosure).
2. EPA acknowledges the fact that the NJDEP is no longer requesting that a groundwater monitoring well be installed at the "base" of Kirkwood Lake, but that NJDEP may request one at a later time.
3. EPA approves the 60-day (time) extension request for the Former Manufacturing Plant (FMP) data summary and proposal for (any) additional sampling, and acknowledges that it will be submitted on March 1, 2011.
4. EPA has submitted a revised request for residential sampling in a separate letter, dated December 15, 2010.

If you have any questions on this matter, you may contact Mr. Ray Klimcsak, at (212) 637-3916, or if you have any legal concerns, Mr. Carl Howard, Esq., at (212) 637-3216.

Sincerely yours,

A handwritten signature in cursive script, appearing to read "Carole Petersen".

Carole Petersen, Chief
New Jersey Remediation Branch

Enclosure

cc: Lynn Vogel, NJDEP

Table 3

Kirkwood Lake Sediment Sample Locations Selected
for Additional Vertical Delineation

Kirkwood Lake Transect Number	Kirkwood Lake Sediment Sample Number
KWT-1	KWDD0001
KWT-2	KWDD0006
KWT-6	KWDD0011
KWT-10	KWDD0015
KWT-15	KWDD0021
KWT-20	KWDD0027
KWT-23	KWDD0034
KWT-29	KWDD0040
KWT-35	KWDD0045 KWDD0049
KWT-40	KWDD0054
KWT-46	none
KWT-50	none
KWT-54	KWDD0084
KWT-58	KWDD0089 KWDD0092
KWT-62	KWDD0094 KWDD0098
KWT-66	KWDD0100
KWT-70	none